

ELISABETH LUKAS

Training in original logotherapy
according to Viktor E. Frankl

SEMESTER III

Logotherapy and crisis intervention 1



CONTENTS

- 1 Frankl's theory of neurosis
- 2 Dimensional assignments
- 3 Frankl's classification of neuroses
- 4 Three method groups of logotherapy
- 5 Basic information about paradoxical intention
- 6 Basic information about dereflection
- 7 Basic information about attitude modulation
- 8 Frankl's neurosis classification and the three method groups
- 9 The neurotic "vicious cycle"
- 10 How anxiety neurosis develops
- 11 The application of paradoxical intention (1)
- 12 Reflections on paradoxical intention
- 13 On the subject of symptom treatment
- 14 Neuropsychological confirmation
- 15 Additional considerations
- 16 Anxiety in the context of worklife
- 17 The fear of enduring something unpleasant
- 18 Further information

- 19** What causes OCD?
- 20** The application of paradoxical intention (2)
- 21** Reflections on paradoxical intention
- 22** Neurobiological confirmation
- 23** Comparison of paradoxical intention and symptom prescription
- 24** Post-treatment of OCD patients
- 25** Additional considerations
- 26** Attitude modulation
- 27** Reactive neuroses
- 28** Hysteria
- 29** Hysteric character traits
- 30** Consequences and examples of hysterical "fussing"
- 31** The reactive component
- 32** The logotherapeutic approach
- 33** On the patient-therapist relationship
- 34** Suicide threats of hysteric persons
- 35** Additional clarifications
- 36** Comparison with behavioral therapy concepts
- 37** An addictive disease: the somatic dimension
- 39** The psychological dimension
- 40** The fatal amalgamation of the somatic and the psychological dimension in addiction

- 41** The noetic dimension
- 42** A multidimensional therapy concept
- 43** Similarities between hysteria and addiction
- 44** Logotherapy in addiction treatment
- 45** Overview of the multidimensional therapy concept